

Form PTO-1449 (modified)

Atty. Docket No.
UTSC:727US/MCBSerial No.
09/981,681

List of Patents and Publications for Applicant's

Applicant
Wai-Hoi Wong *et al.*

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Filing Date:
October 16, 2001Group:
Unknown 2873U.S. Patent Documents
See Page 1Foreign Patent Documents
See Page 1Other Art
See Page 1

U.S. Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date of App.
RA	A1	3,747,001	7/17/73	Fasching <i>et al.</i>	328	116	2/17/72
	A2	4,455,616	6/19/84	Inbar	364	527	11/18/81
	A3	4,727,256	2/23/88	Kumazawa	250	370	6/27/85
	A4	4,999,501	3/12/91	Lacy	050	385.1	11/29/88
	A5	5,319,204	6/7/94	Wong	250	363.03	5/13/92
	A6	5,393,982	2/28/95	Mott <i>et al.</i>	250	370.06	5/20/94
	A7	5,430,406	7/4/95	Kolodziejczyk	327	336	11/15/94
	A8	5,453,623	9/26/95	Wong <i>et al.</i>	250	363.03	6/1/94
RA	A9	5,532,944	7/2/96	Battista	364	602	7/28/94

Foreign Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Country	Class	Sub Class	Translation Yes/No

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
RA	C1	Heath, "Inorganic scintillators: A review of techniques and applications," <i>Nuclear Instruments and Methods</i> , 162:431-476, 1979.
	C2	Lewellen <i>et al.</i> , "Evaluation of a clinical scintillation camera with pulse tail extrapolation electronics," <i>J. Nucl. Med.</i> , 30:1554-1558, 1989.
	C3	Miyaoka <i>et al.</i> , "Coincidence mode imaging using a standard dual-header gamma camera," <i>J. Nucl. Med.</i> , (37)5:223, 1996.
RA	C4	Muehllehner <i>et al.</i> , "SPECT scanner with PET coincidence capability," <i>J. Nucl. Med.</i> , (36)5:70, 1995.

25095613.1

EXAMINER: R. Aunig

DATE CONSIDERED: 05/27/04

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

INFORMATION DISCLOSURE STATEMENT — PTO-1449 (MODIFIED)